

www.rudge.com.au Phone +613 9408 4645 Fax +613 9401 4625

Product Testing Results

Customer: CUTRI FRUIT

Item : PL	UM Ref : CUTRIF-	PLU-0109		
Test Date	Lab Ref	<u>Test Type</u>		Result
9/01/2017	J1701-0480	AT3 - Full Residue Analysis		OK
		Detected Substance	Level Detected	Permitted Level
		Fludioxonil	0.42 mg/Kg	5.0 mg/Kg
		Propargite	0.12 mg/Kg	3.00 mg/Kg
9/01/2017	J1701-0481	· · · · · · · · · · · · · · · · · · ·	MB4 - Ecoli/Listeria Monocytogenes/ Salmonella/ Staphylococci / Thermotolerant Coliforms	
		No substances detected	rting	
9/01/2017	J1701-0482	AM4 - Lead		Ok
		No substances detected	over the Limit of Repor	rting

Substances included under the Test Code that are not shown above had levels below the Level of Reporting (LOR). See attached list for LOR's and Substances tested under the stated Test Code.

Chemical values are expressed as mg/kg (ppm). MRL is the Maximum Residue Limit permitted for each chemical.

Microbial values are expressed as cfu (colony forming units) or Detected MPN (Most Probable No).

All tests performed by NATA accredited laboratories

1

These facilities comply with the requirements of ISO/IEC 17025:200





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041 ATTENTION
FAX NUMBER
PURCHASE ORDER

Terry Rudge email only

CUTRIF-PLU-0109

PROJECT NUMBER J1701-0480

DATE RECEIVED OUR SAMPLE NUMBER

09 January 2017 S2017-01249

YOUR REFERENCE

CUTRIF-PLU-0109

SAMPLE TYPE

Plums

DESCRIPTION

CUTRI FRUIT; PLUM

TEST	MRL	LOR	Result
AT3 Chemicals Test List (TP/311 & 312)			
2-phenylphenol (mg/kg)	< 15	<0.010	<0.010
Abamectin (mg/kg)	< 0.09	<0.010	<0.010
Acephate (mg/kg)	N/A	<0.010	<0.010
Aldrin (mg/kg)	< 0.05	<0.010	<0.010
Azinphos methyl (mg/kg)	< 2	<0.010	<0.010
Benalaxyl (mg/kg)	N/A	<0.010	<0.010
BHC alpha (mg/kg)	N/A	<0.010	<0.010
BHC beta (mg/kg)	N/A	<0.010	<0.010
BHC delta (mg/kg)	N/A	<0.010	<0.010
BHC gamma (Lindane) (mg/kg)	< 0.50	<0.010	<0.010
BHC Total (mg/kg)	N/A	<0.010	<0.010
Bifenazate (mg/kg)	< 0.50	<0.010	<0.010
Bifenthrin (mg/kg)	< 1	<0.010	<0.010
Bioresmethrin (mg/kg)	N/A	<0.010	<0.010
Bitertanol (mg/kg)	N/A	<0.010	<0.010
Buprofezin (mg/kg)	N/A	<0.010	<0.010
Captan (mg/kg)	< 15	<0.050	<0.050
Carbaryl (mg/kg)	< 5	<0.010	<0.010
Chlordane (mg/kg)	< 0.02	<0.010	<0.010
Chlorfenapyr (mg/kg)	N/A	<0.010	<0.010
Chlorfenvinphos (mg/kg)	N/A	<0.010	<0.010
Chlorothalonil (mg/kg)	< 10	<0.050	<0.050
Chlorpyrifos (mg/kg)	< 1	<0.010	<0.010
Chlorpyrifos methyl (mg/kg)	N/A	<0.010	<0.010
Chlorthal dimethyl (mg/kg)	N/A	<0.010	<0.010
Clofentezine (mg/kg)	< 0.10	<0.010	<0.010

Report Number: 181790

Issued: 16 Jan 2017





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041 ATTENTION
FAX NUMBER
PURCHASE ORDER

Terry Rudge email only

CUTRIF-PLU-0109

PROJECT NUMBER J1701-0480

EST	MRL	LOR	Result
Cyfluthrin (mg/kg)	< 0.30	<0.010	<0.010
Cyfluthrin beta (mg/kg)	< 0.30	<0.010	<0.010
Cyhalothrin (mg/kg)	< 0.50	<0.010	<0.010
Cyhalothrin lambda (mg/kg)	< 0.50	<0.010	<0.010
Cypermethrin (mg/kg)	<1	<0.010	<0.010
Cypermethrin alpha (mg/kg)	<1	<0.010	<0.010
Cyproconazole (mg/kg)	N/A	<0.010	<0.010
Cyprodinil (mg/kg)	< 2	<0.010	<0.010
DDD p,p (mg/kg)	N/A	<0.010	<0.010
DDE p,p (mg/kg)	N/A	<0.010	<0.010
DDT p,p (mg/kg)	N/A	<0.010	<0.010
DDT Total (mg/kg)	N/A	<0.010	<0.010
Deltamethrin (mg/kg)	N/A	<0.010	<0.010
Diazinon (mg/kg)	< 0.50	<0.010	<0.010
Dichlorvos (mg/kg)	< 0.10	<0.010	<0.010
Dicloran (mg/kg)	< 15	<0.010	<0.010
Dicofol (mg/kg)	< 5	<0.010	<0.010
Dieldrin (mg/kg)	< 0.05	<0.010	<0.010
Difenoconazole (mg/kg)	N/A	<0.010	<0.010
Dimethoate (mg/kg)	< 0.02	<0.010	<0.010
Dimethoate (Total) (mg/kg)	< 0.02	<0.010	<0.010
Dimethomorph (mg/kg)	N/A	<0.010	<0.010
Diphenylamine (mg/kg)	N/A	<0.010	<0.010
Disulfoton (mg/kg)	N/A	<0.010	<0.010
Endosulphan alpha (mg/kg)	N/A	<0.010	<0.010
Endosulphan beta (mg/kg)	N/A	<0.010	<0.010
Endosulphan sulphate (mg/kg)	N/A	<0.010	<0.010
Endosulphan Total (mg/kg)	N/A	<0.010	<0.010
Endrin Total (mg/kg)	N/A	<0.010	<0.010
Esfenvalerate (mg/kg)	< 1	<0.010	<0.010
Ethoprofos (mg/kg)	N/A	<0.010	<0.01
Etoxazole (mg/kg)	< 0.30	<0.010	<0.010

Report Number: 181790

Issued: 16 Jan 2017





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041 ATTENTION Terry Rudge
FAX NUMBER email only

PURCHASE ORDER CUTRIF-PLU-0109

PROJECT NUMBER J1701-0480

EST	MRL	LOR	Result
Fenamiphos (mg/kg)	N/A	<0.010	<0.010
Fenarimol (mg/kg)	N/A	<0.010	<0.010
Fenitrothion (mg/kg)	< 0.10	<0.010	<0.010
Fenoxycarb (mg/kg)	N/A	<0.010	<0.010
Fenthion (mg/kg)	< 0.25	<0.010	<0.010
Fenvalerate (mg/kg)	< 1	<0.010	<0.010
Fenvalerate (Total) (mg/kg)	N/A	<0.010	<0.010
Fipronil (mg/kg)	< 0.01	<0.010	<0.010
Fludioxonil (mg/kg)	< 5	<0.010	0.42
Flusilazole (mg/kg)	N/A	<0.010	<0.010
Fluvalinate (mg/kg)	< 0.05	<0.010	<0.010
Fluvalinate tau (mg/kg)	< 0.05	<0.010	<0.010
HCB (mg/kg)	N/A	<0.010	<0.010
Heptachlor (mg/kg)	N/A	<0.010	<0.010
Heptachlor epoxide (mg/kg)	N/A	<0.010	<0.010
Hexaconazole (mg/kg)	N/A	<0.010	<0.010
Hexythiazox (mg/kg)	< 1	<0.010	<0.010
Imazalil (mg/kg)	N/A	<0.010	<0.010
Indoxacarb (mg/kg)	< 2	<0.010	<0.010
Iprodione (mg/kg)	< 10	<0.010	<0.010
Kresoxim methyl (mg/kg)	N/A	<0.010	<0.010
Linuron (mg/kg)	N/A	<0.010	<0.010
Malathion (mg/kg)	< 2	<0.010	<0.010
Metalaxyl (mg/kg)	< 0.20	<0.010	<0.010
Methamidophos (mg/kg)	N/A	<0.010	<0.010
Methidathion (mg/kg)	< 0.01	<0.010	<0.010
Metribuzin (mg/kg)	N/A	<0.010	<0.010
Mevinphos (mg/kg)	N/A	<0.010	<0.010
Monocrotophos (mg/kg)	N/A	<0.010	<0.010
Myclobutanil (mg/kg)	< 2	<0.010	<0.010
Omethoate (mg/kg)	< 2	<0.010	<0.010
Oxyfluorfen (mg/kg)	< 0.05	<0.010	<0.010

Report Number: 181790 Issued: 16 Jan 2017





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041 **ATTENTION** Terry Rudge **FAX NUMBER** email only **PURCHASE ORDER**

CUTRIF-PLU-0109

PROJECT NUMBER J1701-0480

Parathion methyl (mg/kg) Penconazole (mg/kg) Pendimethalin (mg/kg) Penthiopyrad (mg/kg) Permethrin (mg/kg) Phenothrin (mg/kg) Phosmet (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 0.01 N/A < 0.20 N/A < 0.05 < 5 N/A N/A N/A < 1 < 8 < 0.50 N/A N/A N/A < 10 N/A < 10 N/A < 2 < 2	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Penconazole (mg/kg) Pendimethalin (mg/kg) Penthiopyrad (mg/kg) Permethrin (mg/kg) Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Procylindone (mg/kg) Procymidone (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 0.20 N/A < 0.05 < 5 N/A N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Parathion methyl (mg/kg) Penconazole (mg/kg) Pendimethalin (mg/kg) Penthiopyrad (mg/kg) Permethrin (mg/kg) Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A < 0.05 < 5 N/A N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Pendimethalin (mg/kg) Penthiopyrad (mg/kg) Permethrin (mg/kg) Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimicarb (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 0.05 < 5 N/A N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Penthiopyrad (mg/kg) Permethrin (mg/kg) Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 5 N/A N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Permethrin (mg/kg) Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Phenothrin (mg/kg) Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Phorate (mg/kg) Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A < 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Phosmet (mg/kg) Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 1 < 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Piperonyl butoxide (mg/kg) Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 8 < 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010
Pirimicarb (mg/kg) Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 0.50 N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010 <0.010
Pirimiphos methyl (mg/kg) Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010 <0.010
Prochloraz (mg/kg) Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A < 10 N/A < 3	<0.010 <0.010 <0.010 <0.010	<0.010 <0.010 <0.010
Procymidone (mg/kg) Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 10 N/A < 3	<0.010 <0.010 <0.010	<0.010 <0.010
Profenofos (mg/kg) Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A < 3	<0.010 <0.010	<0.010
Propargite (mg/kg) Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 3	<0.010	
Propiconazole (mg/kg) Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)			0.12
Prothiofos (mg/kg) Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 2	0.040	
Pyrethrins (mg/kg) Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)		<0.010	<0.010
Pyrimethanil (mg/kg) Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	N/A	<0.010	<0.010
Pyriproxyfen (mg/kg) Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 1	<0.010	<0.010
Quintozene (mg/kg) Sulfoxaflor (mg/kg)	< 10	<0.010	<0.010
Sulfoxaflor (mg/kg)	N/A	<0.010	<0.010
	N/A	<0.010	<0.010
	< 1	<0.010	<0.010
Tebuconazole (mg/kg)	< 1	<0.010	<0.010
Tebufenpyrad (mg/kg)	N/A	<0.010	<0.010
Terbufos (mg/kg)	N/A	<0.010	<0.010
Tetradifon (mg/kg)	< 5	<0.010	<0.010
Tolclofos methyl (mg/kg)	N/A	<0.010	<0.010
Triadimefon (mg/kg)	N/A	<0.010	<0.010
Triadimenol (mg/kg)			
Trichlorfon (mg/kg)	N/A	<0.010	< 0.010

Report Number:

Issued: 16 Jan 2017





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041 ATTENTION Terry Rudge FAX NUMBER email only

PURCHASE ORDER CUTRIF-PLU-0109

PROJECT NUMBER J1701-0480

 TEST
 MRL
 LOR
 Result

 Vinclozolin (mg/kg)
 N/A
 <0.010</td>
 <0.010</td>

Note: All samples are analysed on an as received basis.

This report is not to be reproduced except in full.

TP refers to the technical procedure used to conduct the analysis.

If test method is prefaced by: TP or FT Analysis conducted at Agrifood Technology, Victoria: Werribee Site.

TP_WA Analysis conducted at Agrifood Technology, Western Australia: Bibra Lake Site.

TP_DML Analysis conducted at Agrifood Technology, Victoria: Derrimut Site.

OS Analysis is outsourced.

N/A denotes no MRL available.

MRL stated is as per Food Standards Code guidelines.

LOR = Level of reporting.

Horeen Fernandez

Final Report

Report Number: 181790

Doreen Fernandez

Divisional Manager

16 January 2017

Report Number: 181790 Issued: 16 Jan 2017





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032 Essendon Fields VIC 3041

ATTENTION FAX NUMBER

Terry Rudge email only

PURCHASE ORDER

CUTRIF-PLU-0109

PROJECT NUMBER

J1701-0481

DATE RECEIVED 09 January 2017

OUR SAMPLE NUMBER

S2017-01250 YOUR REFERENCE CUTRIF-PLU-0109

SAMPLE TYPE

Plums

SAMPLE DESCRIPTION CUTRI FRUIT; PLUM

TEST	Result
Coagulase Positive Staphylococci (TP_DML/025) Coagulase Positive Staphylococci (CFU/g)	<100
E.coli,Coliforms & Faecal Coliforms - MPN (TP_DML/019)	
E.coli (MPN/g)	<3.0
Faecal coliforms (MPN/g)	<3.0
Listeria spp (TP_DML/041)	
Listeria monocytogenes /25g	Not Detected
Salmonella spp - TECRA (TP_DML/030)	
Salmonella sp /25g	Not Detected

All samples are analysed on an as received basis. Note:

This report is not to be reproduced except in full.

TP refers to the technical procedure used to conduct the analysis.

TP or FT Analysis conducted at Agrifood Technology, Victoria: Werribee Site. If test method is prefaced by:

Analysis conducted at Agrifood Technology, Western Australia: Bibra Lake Site. TP WA

TP_DML Analysis conducted at Agrifood Technology, Victoria: Derrimut Site.

Analysis is outsourced.

Final Report

Report Number: 181376

Acreen Fernandez

Doreen Fernandez

Divisional Manager

12 January 2017

Report Number: 181376

Issued: 12 Jan 2017

Australian Wool Testing Authority Ltd - Trading as Agrifood Technology Pty Ltd ABN 43 006 014 106





ANALYSIS REPORT

Rudge Produce Systems PO Box 4032

Essendon Fields VIC 3041

ATTENTION

Terry Rudge

FAX NUMBER

email only

PURCHASE ORDER

CUTRIF-PLU-0109

PROJECT NUMBER

J1701-0482

DATE RECEIVED

09 January 2017

OUR SAMPLE NUMBER

S2017-01251

YOUR REFERENCE

CUTRIF-PLU-0109

SAMPLE TYPE Plums

DESCRIPTION

CUTRI FRUIT; PLUM

TEST	MRL	LOR	Result
Metals - ICP (TP/293)			
L ead (mg/kg)	< 0.10	<0.020	<0.020

Note: All samples are analysed on an as received basis.

This report is not to be reproduced except in full.

TP refers to the technical procedure used to conduct the analysis.

TP or FT Analysis conducted at Agrifood Technology, Victoria: Werribee Site. If test method is prefaced by:

TP_WA Analysis conducted at Agrifood Technology, Western Australia: Bibra Lake Site.

TP DML Analysis conducted at Agrifood Technology, Victoria: Derrimut Site.

Analysis is outsourced.

N/A denotes no MRL available.

MRL stated is as per Food Standards Code guidelines.

LOR = Level of reporting.

Acreen Fernandez

Final Report

Report Number: 181781

Doreen Fernandez

Divisional Manager

16 January 2017

181781 Report Number: Issued: 16 Jan 2017